Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LUTEC
Supplier's address: LUTEC EUROPE NV, Herentalsebaan 425, 2160 Wommelgem, BE
Model identifier: 6383001445M

IVIOUEI	identinei.	030300144310

Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	Welding				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters:					

Anti-glare shiel	d:	No	Dimmable:	No		
	Product parameters					
Parameter		Value	Parameter	Value		
General product parameters:						
<u> </u>	mption in on- 000 h), rounded est integer	15	Energy efficiency class	F		
indicating if it in a sphere (3	us flux (фuse), refers to the flux 660º), in a wide in a narrow cone	1 490 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), expressed in W		14,5	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer	Height	12	Spectral power	See image		
dimensions	Width	38	distribution in the	in last page		
without	Depth	69				

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	98	
		Chromaticity	0,440	
		coordinates (x and y)	0,403	
Parameters for LED and OLED lig	ht sources:	,		
R9 colour rendering index value	3	Survival factor	1,00	
the lumen maintenance factor	0,96			
Parameters for LED and OLED mains light sources:				
displacement factor (cos φ1)	0,70	Colour consistency in McAdam ellipses	6	
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replacement claim (W)	-	
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	1,0	

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;

