
Data sheet | Item number: 890-502/342-000

Strain relief housing; 2-pole; with locking clip; for 1 cable; 3.8 ... 8.2 mm; 17.5 mm; black



https://www.wago.com/890-502/342-000





Color: black

Dimensions in mm

Strain relief housing WINSTA® MINI 2-pole

Choose realiable accuracy for the electrical installation for the implementation of your project: The strain relief housing from the *WINSTA®* MINI product line. You can rely on the level of quality of WINSTA® components from WAGO for your electrical installation accessories too. *WINSTA®* MINI follows the trend towards miniaturisation. Our smallest pluggable connection system is very good for lights, for example, since due to LED technology, these offer significantly less space for the connection technology. The strip length is 17.5 mm.

WINSTA® MINI solutions for your electrical installation – maintenance-free

WINSTA® is the pluggable connection system that is perfectly tailored to the strict requirements of electrical installation. It ensures fast, secure and, above all, error-free installation of components and cables. Choose quality and durability – the *WINSTA®* MINI accessory from WAGO makes the electrical installation of electrical components substantially easier.

consistent IP40 protection

• quick replacement of defective units during ongoing operation

Connection data	
Connection 1	
Pole number	2
Connectable sheathed cable diameter	3.8 8.2 mm
Strip length (outer insulation)	17.5 mm

Physical data	
Width	15.6 mm / 0.614 inches
Height	13.2 mm / 0.52 inches
Depth	29.7 mm / 1.169 inches

Data sheet | Item number: 890-502/342-000

https://www.wago.com/890-502/342-000



Material Data	
Note (material data)	Information on material data can be found here
Color	black
Insulation material	Polyamide (PA66)
Fire load	0.064 MJ
Weight	2.1 g

Environmental requirements	
Processing temperature	-5+40 °C
Continuous operating temperature	-35 +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Subject to changes. Please also observe the further product documentation!