

## Meet the Ohme Home Pro

Featuring a premium colour screen and tethered cable, to power your EV the easy way.





7.4kW of power, faster than a 3-pin plug, perfect for overnight charging



Integrates with all energy providers, including Octopus & OVO smart EV tariffs



Control your charging sessions via the Ohme smartphone app or the buttons or the charger



Solar compatible - drivers can fill up their car with excess solar generation

Width: 200mm



Height: 170mm

Depth: 100mm



Scan the QR code for more product and install resources



Manage charger via the Ohme smartphone app







SEAI grant approved (Ireland)

Model information  Order code	OLIMF0003CD003
	OHME0002GB002
Model description	Ohme Home Pro Type 2
Electrical specs	
Power rating	7.4kW
Rated current	32A max
Nominal supply	230V AC, 50/60 HZ, single-phase
Supply connections	L+N+E 6mm <sup>2</sup>
Overcurrent protection	Not fitted, to be fitted separately
Earth leakage protection	RCD Type A 30 mA with integral 6 mA DC, built-in protective earth neutral (PEN) fault detector
Status indication	3 colour LED indication strip (green, blue, red), LCD screen (blue, red)
Charging mode	Mode 3
Socket	Tethered unit with Type 2 plug
Supply cable entry	Cable entry through the rear or underside of the unit, suitable for up to 6mm² conductor size. 25mm glan and a blanking grommet is provided
Mechanical specs	
Dimensions (H/W/D)	170mm x 200mm x 100mm
Unit weight	4kg (shipping weight: 4.4kg)
Mounting location	Wall or post mounted, indoor or outdoor
Operating temperature	-25°C to 45°C
Storage temperature	-40°C to 85°C
Operating humidity	5 - 95% RH
Enclosure	PC6600, UV Stabilised (f1 UL 746C), Fire Rated (V-0 UL94)
Ingress protection rating	IP55
Impact rating	IK08
Standard finish	Black
Connectivity & techno	logy specs
Connectivity	3G/4G multinet sim card (cost covered by Ohme for the first 3 years)
	Automatic network connection through 4G mobile phone network
Network connection	Via the three buttons on the charger or via the Ohme smartphone app
Network connection  Control	via the three battons on the charger of via the offine smartphone app
	Dynamic load balancing and solar charging enabled with a working CT clamp
Control	
Control Technology Upgrades	Dynamic load balancing and solar charging enabled with a working CT clamp
Control Technology	Dynamic load balancing and solar charging enabled with a working CT clamp

ohme-ev.com © May 2024

The Ohme Home Pro [7.4kW] complies with the relevant elements of: BS EN BS EN 61851-1:2019, BS IEC 62955:2018, BS EN IEC 61000-6-3:2021, BS EN IEC 61000-6-1:2019, IEC62196-1, 722.411.4.1 (iv) 543.3.3.101 (ii), BS7671:2018+A2:2022