

**IP67**

IP67 for complete protection against ingress of dust & water

**IK10**

IK08 (GLTM\_11/14) IK10 (GLTM\_16/19/22)



Suitable for coastal applications

## WARRANTY

Warranty

5 years

## FEATURES & BENEFITS

Tilt angle of luminaire is adjustable, just turn knob to tilt the light distribution up to 25 degrees

Static loading capacity is 2000kg

Pre-wired with 1 meter of cable to aid the installer

TRIAC mains dimmable and RGBW options also available

Supplied with installation tube



# TILT ADJUSTABLE GROUND LIGHT

Straight to Mains, DALI-2 dimmable

## FEATURES

<b>IP rating</b>	IP67
<b>IK rating</b>	IK10
<b>CSP Switchable</b>	Single CCT
<b>Tiltable (°)</b>	25
<b>LED Lifetime</b>	L70 50,000h
<b>Colour Rendering Index</b>	CRI>80
<b>Colour Consistency</b>	SDCM3
<b>Walk Over / Drive Over</b>	Drive over (15mph maximum)

## INSTALLATION INFORMATION

<b>Input</b>	220-240V AC
<b>Maximum Ambient Temperature</b>	-25°C - 40°C
<b>Weight</b>	GLTM_14: 1.89kg, GLTM_16: 2.29kg, GLTM_19: 3.26kg, GLTM_22: 3.98kg
<b>Inrush Current</b>	GLTM_14: 0.55A 0.14ms, GLTM_16: 0.45A 0.5ms, GLTM_19: 0.025ms, GLTM_22: 0.5A 0.3ms
<b>Cut Out Size</b>	223
<b>Construction Material</b>	Anodised aluminium body, 316 SS bezel
<b>UK Bathroom Zone</b>	2
<b>SELV</b>	Yes
<b>Electric Class (1, 2, 3)</b>	I
<b>Earth Leakage</b>	0.1
<b>Suitable for coastal areas</b>	Yes

## PHOTOMETRICS @ 25°C

Product code	Finish	Type	W	Colour	Beam	lm	lm/W	Energy
GLTMS147D30	Stainless steel 316	Ø147mm cut-out	10W	3000K	34°	1000	100	
GLTMS165D30	Stainless steel 316	Ø165mm cut-out	18W	3000K	34°	1600	89	
GLTMS193D30	Stainless steel 316	Ø193mm cut-out	23W	3000K	34°	2300	100	
GLTMS223D30	Stainless steel 316	Ø223mm cut-out	28W	3000K	34°	3300	100	

Energy rating is a reflection of the LED light source.

## WIRING INFORMATION

<b>Cable / Flying Lead</b>	Pre-wired with 1.0M, 5 x 1.0mm <sup>2</sup>
<b>Type of Wiring Required</b>	Parallel

## ACCESSORIES

<b>JB3 or JB7</b>	Junction Connector	Sold Separately
-------------------	--------------------	-----------------

