

## Loox5 drivers

24 V - Eco



Furniture Lighting: Lighting Control

### Häfele Loox5 Eco driver constant voltage 24 V



- > Universal voltage input
- > With switch input

- > Version: With overload protection
- > Area of application: For use with Loox5 or Loox5 compatible 24V lights
- > With switching function: Yes
- > Colour: Black
- > Degree of protection: IP20
- > Input voltage: 220–240 V~; 50–60 Hz
- > Output voltage: DC 24 V +/-3 %
- > Number of connections: 20 / 40 W: 4 sockets for 24V lights  
60 / 90 / 120 W: 6 sockets for 24V lights  
1 socket for switch  
1 socket for country-specific mains lead
- > Life time: >30,000 hours
- > Supplied with: 1 driver with mounting accessories

5 <sup>24 V</sup>	Output power W	Output current A	Standby power consumption W	Dim. (L x W x H) mm	Cat. No.
1	20	0.83	≤0.5	138 x 50 x 16	<b>833.72.728</b>
2	40	1.67	≤0.5	192 x 60 x 16	<b>833.72.737</b>
3	60	2.5	≤0.5	221 x 70 x 16	<b>833.72.739</b>
4	90	3.75	≤0.5	260 x 70 x 16	<b>833.72.747</b>
5	120	5	≤0.5	260 x 70 x 16	<b>833.72.749</b>

**!** Ambient temperature –20°C to +45°C  
Ensure that there is a sufficient air supply and circulation at the mounting location

**!** Please use drivers with a life time of >50,000 h for permanent operation.  
Maximum lead length from the driver to the device is 10 m.  
Long cable lengths in combination with large loads (strip light lengths) can result in voltage losses in the cable.  
These lead to visible loss of brightness in the lights.

### Loox main leads, socket at cable: C7



- > Voltage: 250V
- > Material: Plastic
- > Colour: Black
- > Packing: 1 pc

Type	Length mm	Cat. No.
	2000	<b>833.89.000</b>
	5000	<b>833.89.080</b>
	2000	<b>833.89.009</b>

PAGE AMENDED  
09.04.26/1

LIGHTING & ELECTRICAL 2025, © Häfele U.K. Ltd 2025. Dimensional data not binding. We reserve the right to alter specifications without notice.