

**OMNI FILAMENT CANDLE BULB B15 470LM 3.4W 2700K DIMMABLE 330
BEAM CLEAR FULL GLASS INTEGRAL**

ILCANDB15D051



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Details

Barcode:	5055788227762
Quick Order Code:	334850
Category:	Lamps
Range Name:	Omni
Product Type:	Candle
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2

Physical Data

Product Length (mm):	95
Product Width (mm):	35
Product Weight (g):	14
Placement / Application:	Indoor, General Lighting
Material:	Aluminium, Glass
Base Term:	Small Bayonet cap
Bulb Base:	B15
Construction:	Glass shell, Filament strip, Aluminium base
Globe Finish:	Clear
Globe Type:	Candle
Bulb Fixing:	Pendant, Wall, lamp stand, table lamp
Bulb or Luminaire Shape:	Oval

Electrical Data

Power (W):	3.4
Power Consumption (W) :	3.4
Power Factor:	0.7
Voltage Range (v):	220-240
Wattage equivalent (W):	40



Amperage (mA):	19
Dimming:	Mains dim
Driver Included:	Yes
Electric Current:	AC
True Wattage Eq (W):	40
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	470
Luminous efficacy (lm/W):	138
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700 - Warm
Colour Temperature Name:	Warm
Beam Angle:	330
Colour Rendering Index (CRI):	80
Compatible Dimmers:	Varilight JQP401W
Frequency Range (Hz):	50
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	50000

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
New Energy Rating:	D
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Single box qty:	1
Barcode:	5055788227762
Package Weight (g):	24
Package Length (mm):	50
Package Width (mm):	50
Package Depth (mm):	110
Inner Carton Barcode:	05055788227779
Qty per Inner Carton :	10
Inner Carton Length (mm):	226
Inner Carton Width (mm):	110
Inner Carton Depth (mm):	120
Outer Carton Barcode:	05055788227786
Qty per Outer Carton:	60
Outer Carton Length (mm):	356
Outer Carton Width (mm):	286
Outer Carton Depth (mm):	270
Qty per euro pallet:	2880